

Syngenta Crop Protection, Inc.
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name: **WEATHERBLOK XT** Product No.: A12720G
 EPA Signal Word: Caution
 Active Ingredient(%): Brodifacoum Technical (0.005%) CAS No.: 56073-10-0
 Chemical Name: 3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one
 Chemical Class: A coumarin-type anticoagulant rodenticide
 EPA Registration Number(s): 100-1055 (formerly 10182-339) **Section(s) Revised: 2, 3, 4, 5, 6, 8, 12, 13**

2. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Paraffin Wax	Not Established	Not Established	Not Established	No
Cereal Ingredients	Not Established	Not Established	Not Established	No
Blue Pigment	Not Established	Not Established	Not Established	No
Brodifacoum Technical (0.005%)	Not Established	Not Established	0.002 mg/m ³ TWA***	No

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION
Symptoms of Acute Exposure

Slightly irritating to the eyes. The active ingredient is designed to cause bleeding after repeated ingestion.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Blue solid
 Odor: Slight cereal and wax odor

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Wash skin with soap and water.

Inhalation: Not applicable.

Notes to Physician

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, Vitamin K1 is antidotal at doses of 10 - 20 mg (not mg/kg). For animal cases, Vitamin K1 is antidotal at 2 - 5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin time). In severe cases, blood transfusions may be necessary.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method): > 375°F (paraffin wax) Method: PMCC
Flammable Limits (% in Air): Lower: % Not Applicable Upper: % Not Applicable
Autoignition Temperature: Not Available
Flammability: Not Flammable

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Once all material is collected, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Eye protection is not required for normal handling. Where eye contact is likely, wear tight-fitting chemical goggles.

Skin Contact: Gloves are not required for normal handling. Where heavy contact is likely, wear chemical resistant (such as nitrile or butyl) gloves.

Inhalation: Respiratory protection is not required for normal handling. In the event of an unusual dust exposure, use engineering controls or a NIOSH-certified particulate respirator (N, P, R or HE filter) to keep exposure below the Occupational Exposure Limit.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue solid
Odor:	Slight cereal and wax odor
Melting Point:	130°F (paraffin wax)
Boiling Point:	Not Applicable
Specific Gravity/Density:	1.15 g/ml
pH:	Not Available

Solubility in H₂O

Brodifacoum Technical: Insoluble

Vapor Pressure

Brodifacoum Technical: 6 x 10⁽⁻⁶⁾ mmHg @ 68°F (20°C)

10. STABILITY AND REACTIVITY

Stability:	Stable under normal use and storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.
Hazardous Decomposition Products:	Can decompose at high temperatures forming toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	<u>Practically Non-Toxic</u>
	Oral (LD50 Rat) : > 5,000 mg/kg body weight
Dermal:	<u>Not Available</u>
	Dermal (LD50 Rabbit) : See "Other Toxicity Information", Sec. 11
Inhalation:	<u>Not Available</u>
	Inhalation (LC50 Rat) : See "Other Toxicity Information", Sec. 11
Eye Contact:	See "Other Toxicity Information", Sec. 11
Skin Contact:	See "Other Toxicity Information", Sec. 11
Skin Sensitization:	Not Available

Reproductive/Developmental Effects

Brodifacoum Technical:	Not teratogenic, embryotoxic or fetotoxic in rats or rabbits at doses up to 0.02 mg/kg/day - the dose causing excessive maternal toxicity. Non-genotoxic in a range of assays.
------------------------	---

Chronic/Subchronic Toxicity Studies

Brodifacoum Technical:	The biological half-life for brodifacoum in body tissue in rats is 150-200 days. Adverse clinical effects can develop from body accumulation. Prolonged prothrombin time, depression, pallor, subcutaneous hemorrhage, bleeding of nose or gums, gastrointestinal hemorrhage, cerebral hemorrhage, shock and death can develop following exposures. No neurotox studies have been conducted.
------------------------	--

Carcinogenicity

Brodifacoum Technical:	Unlikely to be carcinogenic.
------------------------	------------------------------

Other Toxicity Information

Systemically toxic concentrations of this product will probably not be absorbed through human skin. Because this product is a wax block, inhalation is not expected to be a normal route of exposure. No irritation is likely to develop following contact with human eyes. Irritation will probably not develop following contact with human skin.

Effects of overexposure are those of anticoagulant overdose, i.e., reduced blood clotting ability with spontaneous bleeding in various organs. Body accumulation can result from repeated exposures since the half-life of brodifacoum is estimated to be 120 days. Individuals with blood clotting disorders may be more susceptible to overexposure effects.

Toxicity of Other Components

Blue Pigment
Not applicable
Cereal Ingredients
Not applicable
Paraffin Wax
Not applicable

Target Organs

Active Ingredients

Brodifacoum Technical: Blood

Inert Ingredients

Blue Pigment: Not applicable
Cereal Ingredients: Not applicable
Paraffin Wax: Not applicable

12. ECOLOGICAL INFORMATION

Summary of Effects

Brodifacoum Technical:

The risk of this formulation to most non-target organisms is low. However, if this product is misused or stored improperly, birds and non-target animals may be at higher risk.

Eco-Acute Toxicity

Brodifacoum Technical:
Fish (Trout) 96-hr LC50 0.04 ppm
Invertebrates (Daphnia) 48-hr EC50 0.06 ppm
Birds (8-day dietary - Bobwhite Quail) 40-day LC50 0.8 ppm
Birds (8-day dietary - Mallard Duck) 40-day LC50 2.7 ppm

Formulation (predicted):
Fish (Trout) 96-hr LC50 800 ppm
Invertebrates (Daphnia) 48-hr EC50 1,200 ppm
Birds (8-day dietary - Bobwhite Quail) LC50 16,000 ppm
Birds (8-day dietary - Mallard Duck) LC50 54,000 ppm

Eco-Chronic Toxicity

Brodifacoum Technical: No applicable studies available.

Environmental Fate

Brodifacoum Technical:

No data available for the formulation. The information presented here is for the active ingredient, brodifacoum. A thorough review of environmental information is not possible in this document.
Persistence (Half-Life): Soil: 157 days. Water: Stable.
Leaching/Mobility: Immobile (Koc = 50,000).
Action in Water (after 24 hrs.): Sinks.

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse empty container except for holding additional product.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Not regulated by DOT.

B/L Freight Classification

Exterminator, Vermin, O/T Poison

Comments

International Transportation

Environmentally Hazardous Substance, Solid, N.O.S. (brodifacoum), Class 9, UN3077, PGIII

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard
Chronic Health Hazard

Section 313 Toxic Chemicals: Not Applicable

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 09/20/2000

Revision Date: 01/27/2003

Replaces: 05/14/2002

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

RSVP# : SCP-955-00360B

End of MSDS